



2026 SUPPLEMENTARY SHEET ANGUS

LOT	IDENT	WT	AGE MTH	P8 FAT	RIB FAT	EMA	IMF %	SCR		COMMENTS
1	RTT23V38	956	23	19	13	132	7.8	44		
2	RTT24V161	852	20	13	10	125	7.7	40		Semen retained for in-herd use.
3	RTT24V110	842	22	11	9	132	7.6	41		
4	RTT24V133	840	21	12	8	124	7.1	41		
5	RTT24V123	850	22	12	8	133	7.8	41		
6	RTT24V107	830	22	13	10	128	7.5	38		
7	RTT24V48	828	23	14	10	127	8.1	43		
8	WITHDRAWN									
9	RTT24V34	856	23	13	9	122	6.8	43		
10	RTT24V37	768	23	12	8	129	7.3	41		
11	RTT24V8	848	23	13	8	135	6.2	41		
12	RTT24V30	936	23	20	14	136	8.0	41		
13	RTT24V57	838	23	9	7	114	4.3	40		
14	RTT24V22	766	23	8	5	123	6.2	39		
15	RTT24V39	948	23	11	8	125	7.4	40		
16	RTT24V65	850	23	9	7	130	6.1	40		
17	RTT24V17	732	23	15	9	101	8.1	38		Used over stud heifers.
18	RTT24V27	722	23	10	7	107	7.7	37		Used over stud heifers.
19	RTT24V156	800	20	13	9	133	7.6	44		
20	RTT24V154	734	20	12	8	121	7.1	42		
21	RTT24V85	840	22	9	7	127	6.6	39		
22	RTT24V45	796	23	6	5	128	5.1	40		
23	RTT24V59	700	23	12	7	117	6.9	37		
24	WITHDRAWN									
25	RTT24V4	772	23	11	8	126	7.5	42		
26	RTT24V3	724	23	7	6	112	6.7	44		
27	RTT24V126	740	22	9	7	123	7.9	41		
28	RTT24V130	660	22	9	6	120	5.7	39		
29	RTT24V222	716	17	9	7	112	6.7	39		
30	RTT24V192	686	18	7	5	108	6.4	40		
31	RTT24V195	666	18	9	6	112	7.6	37		
32	RTT24V191	644	18	5	4	107	5.3	39		
33	RTT24V194	622	18	5	4	104	6.7	36		
34	RTT24V218	636	17	5	4	100	5.0	38		
35	WITHDRAWN									
36	RTT24V202	600	18	7	5	101	5.9	40		
37	RTT24V219	614	17	7	5	108	7.5	38		
38	RTT24V217	616	17	10	7	110	7.1	39		
39	RTT24V175	650	18	11	8	109	6.5	37		
40	RTT24V186	584	18	7	5	100	7.3	41		

Pesti-tested negative

Vaccinations: 7-in-1, Vibrovax, Pestiguard, Rhinogard IBR vaccine

Drench: Dectomax

Semen tested: Nutrien Breeding Services (15/1/2026)

Weighed & scanned: SXS SCANNING - Lonnie Stone (11/2/2026)



2026 SUPPLEMENTARY SHEET CHAROLAIS

LOT	IDENT	WT	AGE MTH	P8 FAT	RIB FAT	EMA	IMF %	SCR	POLL STATUS	COMMENTS
41	VE723U258E	984	27	9	7	154	5.6	41	HP	
42	VE724V103E	922	22	12	9	141	6.8	41	HP	
43	VE724V102E	862	22	7	5	141	6.0	43	HP	Used in stud.
44	VE724V79E	862	22	7	5	143	3.8	39	HP	
45	VE724V43E	766	23	5	5	128	4.1	37	HP	
46	VE724V2E	854	23	7	6	148	4.3	41	HP	
47	VE724V62E	784	23	10	8	134	4.2	41	HP	
48	VE724V96E	760	22	9	6	131	5.1	41	HP	
49	VE724V77E	834	22	9	7	140	4.9	42	P	
50	VE724V55E	762	23	6	5	154	3.8	38	HP	
51	VE724V78E	756	22	4	3	152	4.0	39	HP	
52	WITHDRAWN									
53	VE724V112E	752	22	6	5	128	4.6	37	P	
54	WITHDRAWN									
55	VE724V256E	788	17	6	5	145	4.7	39	HP	
56	VE724V244E	656	17	7	5	113	5.9	38	HP	
57	VE724V235E	636	17	7	5	111	6.1	36	HP	
58	VE724V221E	668	17	4	4	114	3.9	37	P	
59	VE724V214E	650	17	4	4	108	4.2	38	HP	
60	VE724V200E	658	18	6	4	118	6.1	37	P	
61	VE724V306E	632	19	5	4	115	3.7	39	P	
62	VE724V252E	622	17	5	4	124	5.2	35	HP	
63	VE724V203E	652	18	4	3	113	4.1	37	P	
64	WITHDRAWN									
65	VE724V303E	628	16	4	3	121	3.2	35	P	
66	VE725W82E	460	10	-	-	-	-	-	HP	PA-free. Parent verified.
67	VE725W54E	433	10	-	-	-	-	-	P	PA-free. Parent verified.
68	VE725W70E	400	10	-	-	-	-	-	P	PA-free. Parent verified.
69	VE725W30E	500	11	-	-	-	-	-	HP	PA-free. Parent verified.
70	WITHDRAWN									

Pesti-tested negative

Vaccinations: 7-in-1, Vibrovax, Pestiguard, Rhinogard IBR vaccine

Drench: Dectomax

Semen tested: Nutrien Breeding Services (15/1/2026)

Weighed & scanned: SXS SCANNING - Lonnie Stone (11/2/2026)